

What's new?

catalogue 2020-2021

AQFORM
LIGHTING SOLUTIONS

Before starting the second edition of the 2020-2021 catalogue, listening to the voice of our customers, we developed updates for several product families. More control options, more beam angles and a wider range of available colour temperatures – the changes made are aimed at even more precise matching of our luminaires to the function. Thank you for all the feedback we have received!

This brochure summarizes all the changes to AQForm products introduced in the second edition of the 2020-2021 catalogue. As a result, when using this material, the first edition of the catalog remains up to date. The most recent product data is also always available on the website.

The update of product parameters will be valid in the standard offer from 04/01/2021.

Przed przystąpieniem do drugiego wydania katalogu 2020-2021 opracowaliśmy aktualizacje kilku rodzin produktów, wsłuchując się w głos naszych klientów. Więcej opcji sterowania, więcej kątów świecenia, szerszy zakres dostępnych temperatur barwowych – dokonane zmiany mają na celu jeszcze dokładniejsze dopasowanie produktów do funkcji, w której najczęściej są stosowane dane oprawy. Serdecznie dziękujemy za wszystkie informacje zwrotne jakie otrzymaliśmy!

Niniejsza broszura podsumowuje wszystkie zmiany produktów AQForm jakie wprowadza druga edycja katalogu 2020-2021. Dzięki temu, przy zastosowaniu tego materiału, wydanie pierwsze katalogu pozostaje aktualne. Najaktualniejsze dane o produktach zawsze są dostępne na stronie internetowej.

Aktualizacja parametrów produktów będzie obowiązywać w standardowej ofercie od 04.01.2021.


product name / nazwa produktu		it was / było	it is / jest
HOLLOW micro LED recessed	aqform.com/HL0013	3000K 4000K	2700K 3000K 4000K
HOLLOW mini LED recessed	aqform.com/HL1013	3000K 4000K	2700K 3000K 4000K
LED EYE hermetic recessed	aqform.com/LE0803	dimming optional: DALI	dimming optional: DALI switchDIM on request
MODERN BALL x2 LED surface	aqform.com/MB2014	dimming optional: DALI	dimming optional: DALI switchDIM on request
MODERN BALL x3 LED section surface	aqform.com/MB3014	dimming optional: DALI AQsmart	dimming optional: DALI AQsmart switchDIM on request
MODERN BALL x3 LED section suspended	aqform.com/MB3015	dimming optional: DALI	dimming optional: DALI switchDIM on request
MODERN BALL x3 LED surface	aqform.com/MB3014	dimming optional: DALI AQsmart	dimming optional: DALI AQsmart switchDIM on request
MODERN BALL x3 LED suspended	aqform.com/MB3015	dimming optional: DALI	dimming optional: DALI switchDIM on request
MODERN BALL x4 LED asymmetry surface	aqform.com/MB4014	dimming optional: DALI AQsmart	dimming optional: DALI AQsmart switchDIM on request
MODERN BALL x4 LED asymmetry suspended	aqform.com/MB4015	dimming optional: DALI	dimming optional: DALI switchDIM on request
MODERN BALL x4 LED surface	aqform.com/MB4014	dimming optional: DALI AQsmart	dimming optional: DALI AQsmart switchDIM on request
MODERN BALL x4 LED suspended	aqform.com/MB4015	dimming optional: DALI	dimming optional: DALI switchDIM on request
MORE maxi LED recessed	aqform.com/MR3013	3000K 4000K	2700K 3000K 4000K on request
MORE midi LED recessed	aqform.com/MR2013	3000K 4000K	2700K 3000K 4000K on request
MORE mini LED recessed	aqform.com/MR1013	3000K 4000K	2700K 3000K 4000K on request
MORPH flared LED suspended	aqform.com/MH0215	3000K 4000K	3000K 4000K on request
MORPH flat LED suspended	aqform.com/MH0115	3000K 4000K	3000K 4000K on request
PET next LED multitrack	aqform.com/PE0817	18° 35°	18° 35° 50°
PET next LED spider suspended	aqform.com/PI0815	18° 35°	18° 35° 50°

product name / nazwa produktu		it was / było	it is / jest
PET next LED spot	aqform.com/PP0811	18° 35°	18° 35° 50°
PET next LED suspended	aqform.com/PE0815	18° 35°	18° 35° 50°
PET next LED track	aqform.com/PP0816	18° 35°	18° 35° 50°
PET next maxi surface	aqform.com/PE2814	dimming optional: DALI	dimming optional: DALI switchDIM on request
PET next maxi suspended	aqform.com/PE2815	dimming optional: DALI	dimming optional: DALI switchDIM on request
PET next surface	aqform.com/PE0814	dimming optional: DALI 18° 35°	dimming optional: DALI switchDIM on request 18° 35° 50°
PET next suspended	aqform.com/PE0815	dimming optional: DALI	dimming optional: DALI switchDIM on request
PETPOT next LED spot	aqform.com/PP2811	18° 35°	18° 35° 50°
PETPOT next LED track	aqform.com/PP2816	18° 35°	18° 35° 50°
PEX LED 230V hermetic wall	aqform.com/PX0012	3000K 4000K	3000K 4000K on request
PEX up&down LED 230V hermetic wall	aqform.com/PX1012	3000K 4000K	3000K 4000K on request
RAFTER points trim recessed	aqform.com/RA2013	dimming optional: DALI	dimming optional: DALI switchDIM on request
RAFTER wall washer trim recessed	aqform.com/RA2213	dimming optional: DALI	dimming optional: DALI switchDIM on request
RING next 50 LED recessed	aqform.com/RIG813	3000K 4000K	2700K 3000K 4000K on request
RING next 50 LED recessed	aqform.com/RIG813	dimming optional: DALI	dimming optional: DALI switchDIM on request
SIRCA LED recessed	aqform.com/SC0013	dimming optional: DALI	dimming optional: DALI switchDIM on request
SQUARES next 502 LED recessed	aqform.com/SX2813	3000K 4000K	2700K 3000K 4000K on request
SQUARES next 50x1 LED recessed	aqform.com/SX1813	3000K 4000K	2700K 3000K 4000K on request
SQUARES next 50x1 LED surface	aqform.com/SX1814	dimming optional: DALI 3000K 4000K	dimming standard: Phase-Control dimming optional: DALI option 2700K 3000K 4000K on request

product name / nazwa produktu		it was / było	it is / jest
SQUARES next 50x1 LED trimless recessed	aqform.com/SX3813	3000K 4000K	2700K 3000K 4000K on request
SQUARES next 50x2 LED surface	aqform.com/SX2814	dimming optional: DALI 3000K 4000K	dimming standard: Phase-Control dimming optional: DALI option 2700K 3000K 4000K on request
SQUARES next 50x2 LED trimless recessed	aqform.com/SX4813	3000K 4000K	2700K 3000K 4000K on request
TUBA next 50 LED surface	aqform.com/TU3814	3000K 4000K	2700K 3000K 4000K on request

MODERN BALL x4 LED asymmetry suspended

aqform.com/PP0811




In the longest version of the suspended MODERN BALL luminaire, we have implemented a changed mounting method: now the slings are placed in the lamp canopy. It is not only improves an aesthetic, but also facilitates and accelerates the assembly compared to the first presented version.

W najdłuższej wersji oprawy MODERN BALL zwieszanej zastosowaliśmy zmieniony sposób montażu - teraz zawieszają się w obrębie puszek. To nie tylko zabieg estetyczny ale też ułatwienie i przyspieszenie montażu w stosunku do pierwszej zaprezentowanej wersji.



PET micro move switch LED wall

aqform.com/PE2112



We are adding a new version of the PET micro move luminaire: PET micro move switch LED wall. In this version, the wall lamp has a discreet switch. It is a very convenient solution for the bedside lamp.

Dodajemy nową wersję oprawy PET micro move: PET micro move switch LED wall. W tej wersji kinkiet ma dodatkowo dyskretny włącznik. To bardzo wygodne rozwiązanie dla lampki nocnej.



All dimensions and technical data in catalogues are provided for guidance purposes only. Actual data may differ slightly due to the production process. Technical information contained within Aquaform's website, data sheets or mounting instructions shall prevail over the information contained in catalogues. Aquaform Inc. reserves the right to change the presented materials and product specifications without prior notice. Aquaform Inc. takes no responsibility for any possible misprints. Information contained in the catalogue shall not constitute an offer, also within the meaning of art. 66 § 1 of Polish Civil Code.

Podane w katalogach wymiary oraz informacje techniczne mają jedynie charakter informacyjny. Rzeczywiste dane mogą się nieznacznie różnić ze względu na proces produkcyjny. Informacje techniczne zawarte na stronie www, w kartach katalogowych oraz w instrukcjach montażu mają pierwszeństwo przed informacjami z katalogów. Aquaform Inc. zastrzega sobie prawo do zmiany przedstawianych materiałów i parametrów technicznych produktów bez wcześniejszego powiadomienia. Aquaform Inc. nie ponosi odpowiedzialności za możliwe błędy w druku. Informacje zawarte w katalogu nie stanowią oferty handlowej, w tym w rozumieniu art. 66 §1 Kodeksu Cywilnego.

© 2020 AQUAFORM Inc. sp. z o.o.
All rights reserved.