



QRLED

AQUAFORM 
LIGHTING SOLUTIONS



What is QRLED? / Czym jest QRLED?

QRLED is a modern lighting module for integrated luminaires. This solution improves well known AQUAFORM'S products, which gain higher parameters than commercially available LED retrofits or traditional light sources. QRLED collection uses the newest LED technological solutions. **Characteristic design and high quality parameters of QRLED** offers new and fresh perspective on lighting design and quality of the emitted light. The important advantage of QRLED luminaires is the **possibility to replace the module.** Find out more about QRLED collection diverse offer.

QRLED to nowoczesny moduł oświetleniowy zintegrowany z oprawą. Dzięki niemu sprawdzone produkty z oferty AQUAFORM, jako oprawy zintegrowane, zyskują parametry przewyższające dostępne na rynku retrofity LED i tradycyjne źródła światła. Kolekcja QRLED wykorzystuje **najnowsze zdobycze technologii LED.** Dzięki temu **charakterystyczne wzornictwo i wysoka jakość parametrów QRLED** oferują nowe spojrzenie na komfort projektowania oświetlenia oraz jakość emitowanego światła. Co ważne **w oprawach QRLED moduł można wymienić.** Dowiedz się co jeszcze oferuje kolekcja QRLED.

Technical parameters / Parametry techniczne

beam angle / kąt świecenia

colour temperature / temperatura barwowa

Colour Rendering Index / Wskaźnik Odzworowania Barw

luminous flux / strumień świetlny

dimming / ściemnianie

QRLED

24° | 31° | 45°

3000K | 4000K

>80 | >90 | >97*

840lm** | 1130lm**

optional: switchDIM |
DALI | Phase-Control

QRLED 230V

24° | 31° | 45°

3000K | 4000K

>80

800lm**

standard: Phase-Control

* CRI>97 option is only available in colour temperature of 3000K. For more details please contact AQUAFORM Sales Agents

Dla CRI>97 dostępna jest tylko temperatura barwowa 3000K. O szczegóły należy pytać Przedstawicieli Handlowych AQUAFORM

** Full details for the WW module version, CRI>80. More technical details are available at: www.aquaform.pl

Dane dla wersji modułu WW, CRI>80. Pozostałe dane techniczne dostępne są na: www.aquaform.pl

Why QRLED? / Dlaczego QRLED?



replaceable module
wymienialny moduł



dimming available
dostępne ściemnianie



individualisation of parameters
indywidualizacja parametrów



optional CRI even at CRI>97
opcjonalnie CRI nawet do CRI>97



Application / Zastosowanie

QRLED luminaires are desired when high quality lighting is significant. **They are perfect solution, for example in museums, art galleries, clothes shops, hairdresser's salons, offices or residential interiors.** As the result of parameters configuring option, the luminaires are easily applicable for specific, individual projects.

Lampy QRLED pasują tam, gdzie jakość światła ma duże znaczenie. Dlatego **sprawdzą się m.in. w muzeach, galeriach sztuki, sklepach z odzieżą, salonach fryzjerskich, biurach czy wnętrzach mieszkalnych.** Dzięki możliwości indywidualnej konfiguracji wielu parametrów, można je łatwo dostosować do potrzeb konkretnego projektu.



SQUARES 111 QRLED



01. SQUARES
111x1 QRLED
recessed



02. SQUARES
111x2 QRLED
recessed



03. SQUARES
111x3 QRLED
recessed



04. SQUARES
111x4 SQ QRLED
recessed



09. SQUARES
111x1 QRLED
trimless recessed



10. SQUARES
111x2 QRLED
trimless recessed



11. SQUARES
111x3 QRLED
trimless recessed



12. SQUARES
111x4 SQ QRLED
trimless recessed



05. SQUARES
111x1 QRLED
230V recessed



06. SQUARES
111x2 QRLED
230V recessed



07. SQUARES
111x3 QRLED
230V recessed



08. SQUARES
111x4 SQ QRLED
230V recessed



13. SQUARES
111x1 QRLED 230V
trimless recessed



14. SQUARES
111x2 QRLED 230V
trimless recessed



15. SQUARES
111x3 QRLED 230V
trimless recessed



16. SQUARES
111x4 SQ QRLED 230V
trimless recessed



CERES 111 QRLED



17. CERES 111
QRLED spot



18. CERES 111
QRLED 230V spot



19. CERES 111
plus QRLED spot



20. CERES 111
QRLED 230V track



25. SLEEK
distance 111x1
QRLED surface



26. SLEEK
distance 111x2
QRLED surface



27. SLEEK 111x1
QRLED wall



28. SLEEK 111x2
QRLED wall



SLEEK 111 QRLED



21. CERES 111
QRLED track



22. CERES 111x1 R
QRLED spot



23. CERES 111x2 R
QRLED spot



24. CERES 111x3 R
QRLED spot



29. SLEEK 111x1
QRLED recessed



30. SLEEK 111x2
QRLED recessed



Use the code and
find our products at:
www.aquaform.pl

Użyj kodu i znajdź
produkty na:
www.aquaform.pl



TUBA 111 QRLED



31. TUBA 111
QRLED surface



32. TUBA 111 23
QRLED surface



33. TUBA 111 34
QRLED surface



34. TUBA distance
111x1 QRLED
surface



35. TUBA distance
111x2 QRLED
surface



36. TUBA 111
QRLED suspended
surface



RING QRLED



37. RING 111
QRLED recessed



38. RING 111
QRLED trimless
recessed



39. RING 111
QRLED 230V
recessed



40. RING 111
QRLED 230V
trimless recessed



SQUARES mini 111 QRLED



41. SQUARES mini
111x1 QRLED
surface



42. SQUARES mini
111x2 QRLED
surface



43. SQUARES mini
111x3 QRLED
surface



44. SQUARES mini
111x4 SQ QRLED surface



QRLED move



45. QRLED move
spot



46. QRLED move
230V spot



47. QRLED move
track



48. QRLED move
230V track

01. SQ0163
02. SQ0263
03. SQ0363
04. SQ0663
05. SQ2163
06. SQ2263
07. SQ2363
08. SQ2663
09. SQ4163
10. SQ4263
11. SQ4363
12. SQ4663
13. SQ5163
14. SQ5263
15. SQ5363
16. SQ5663
17. CE0061
18. CE2061
19. CE1061
20. CE2066
21. CE0166
22. CE3161
23. CE3261
24. CE3361
25. SL3964
26. SL4964
27. SL3062
28. SL4062
29. SL3063
30. SL4063
31. TU0064
32. TU1064
33. TU2064
34. TU3964
35. TU4964
36. TU0065
37. RI0063
38. RI4063
39. RI2063
40. RI5063
41. SQ1164
42. SQ1264
43. SQ1364
44. SQ1664
45. QR8061
46. QR8161
47. QR8066
48. QR8166



Check out QRLED on www.QRLED.eu
Poznaj QRLED na www.QRLED.pl

AQUAFORM Inc. sp. z o.o.

Czernichów 465, 32-070 Czernichów, Poland
T: + 48 12 270 21 22

E: biuro@aquafarm.pl
E: office@aquafarmlighting.com

www.aquafarm.pl
www.aquafarmlighting.com

Aquaform takes no responsibility for any possible misprints.

All photos, icons and images are copyright protected. All dimensions and technical data in catalogues are provided for guidance purposes only. Aquaform reserves the right to modify materials, dimensions and other technical parameters of the products without notice. Information in catalogue shall not constitute an offer, also within the meaning of art. 66 § 1 of Polish Civil Code.

Technical information contained within Aquaform's website, data sheets or mounting instructions shall prevail over the information contained in catalogues.

© 2016 AQUAFORM Inc. sp. z o.o. all rights reserved.

Aquaform nie ponosi odpowiedzialności za możliwe błędy w druku.

Zdjęcia są chronione prawnie. Podane w katalogach wymiary oraz informacje techniczne mają jedynie charakter informacyjny. Aquaform zastrzega sobie prawo do zmiany materiałów i parametrów technicznych bez wcześniejszego powiadomienia. Informacje zawarte w katalogu nie stanowią oferty handlowej, w tym w rozumieniu art. 66 § 1 Kodeksu Cywilnego.

Informacje techniczne zawarte na stronie www, w kartach katalogowych oraz w instrukcjach montażu mają pierwszeństwo przed informacjami z katalogów.

© 2016 AQUAFORM Inc. sp. z o.o. wszelkie prawa zastrzeżone.