



Quick choice 2020

AQFORM
LIGHTING SOLUTIONS



Welcome to the world of modern lighting

The folder presents cross-section of our offer. For full collection please visit website www.aqform.com or check the main catalogue.

Other colour temperatures, beam angles, power, finish or size are available on our website.

All products marked as **QS (quick shipment)** will be shipped within 2-5 working days. Lead time for other products is 15 working days counting from the confirmed order.

What is AQForm most known for?



Experts on board – specialized lighting engineers and creative departments working on almost 3600m² in AQForm Research & Development Center near Cracow (Poland).



Tempting designs – AQForm products were awarded with: iF Design Award, German Design Award and others.

Flexible production – AQForm luminaires are produced on the spot. Local production allows to offer a variety of colour finishes and adapt luminaires to specific projects or end user's needs.

Quick
shipment
products
are shipped
within 2-5
working
days

recessed

surface

suspended

spot / track

wall



LED EYE
p. 11



ONLY mini
p. 11



TUBA 111
p. 11



ONLY mini
p. 11



PET surface
p. 11



PET mini
p. 15



MODERN GLASS
p. 15 / 17



MODERN GLASS
p. 15 / 17



MODERN GLASS
p. 15 / 17



MAXI RING dot
p. 17



QRLED mini
p. 23



QRLED move
p. 23



KARI
p. 23



PET
p. 25



ROTTO
p. 25 / 27



ROLL
p. 27



GOLO
p. 31



GRAPH
p. 31



LEDPOINT
p. 31




LEDPOINT
p. 31



MAXI CUBE
p. 33



SET RAW
p. 33



design: PRØJEKTYW





private apartment
Lublin, Poland
design: ASABA DESIGN Studio Projektowania Wnętrz
photo: trzykropy



Restaurant Seafood Station
Sopot, Poland
design: Sikora Wnętrza
photo: Tom Kurek



LED EYE hermetic recessed



ONLY round mini LED 230V hermetic recessed



ONLY round mini 6 LED 230V hermetic surface



PET surface



TUBA 111 11 surface




CRI>90 | 3000K | 36°

aqform.com/LE0803

colour	power	flux	time	catalogue number
white	6.5W	880lm	QS	30416-L930-F1-00-03

voltage range: 220-240V

⚡ Φ 92 mm | Hmin: 70




CRI>90 | 3000K | 32° | Phase-Control

aqform.com/ON1873

colour	power	flux	time	catalogue number
white	8.0W	620lm	QS	37951-M930-F3-PH-03

voltage range: 220-240V

⚡ Φ 90mm | Hmin: 70




CRI>90 | 3000K | 32° | Phase-Control

aqform.com/ON1874

colour	power	flux	time	catalogue number
white	6.0W	500lm	QS	40438-M930-F3-PH-03

voltage range: 220-240V




PAR16 | GU10 | 230V | max: 13W | Phase-Control

aqform.com/PE9034

colour	length	time	catalogue number
black	90mm	QS	42311-0000-U8-PH-02
white	90mm	QS	42311-0000-U8-PH-03
black	170mm	QS	46311-0000-U8-PH-02
white	170mm	QS	46311-0000-U8-PH-03

voltage range: 110-240V | light source not included



AR111 | G53 | 12V AC | max: LED 12,5W | Phase-Control

aqform.com/TU9054

colour	time	catalogue number
black	QS	45611-0000-T8-PH-02
white	QS	45611-0000-T8-PH-03

voltage range: 220-240V

light source not included



LED light source data is for 3000K



Fig. 3 - Coupe transversale et élévation
d'ensemble.

MERCURE Lyon Lumière
Lyon, France
design: Dinterieur
photo: Serge Brison





PET mini 37 LED suspended



MODERN GLASS Tube TP E27 fi50 suspended



MODERN GLASS Flared TP E27 fi50 suspended



MODERN GLASS Barrel TP E27 fi50 suspended



MODERN GLASS Tube SP E27 fi50 suspended



colour	power	flux	time	catalogue number
black	3.0W	360lm	QS	50299-M930-F1-00-02
white	3.0W	360lm	QS	50299-M930-F1-00-03




voltage range: 220-240V

T30 | E27 | 230V | max: 13W | Phase-Control

aqform.com/MG3025

colour	time	catalogue number
white	QS	50473-0000-U8-PH-03




voltage range: 220-240V

light source not included

Standard | E27 | 230V | max: 13W | Phase-Control

aqform.com/MG2025

colour	time	catalogue number
white	QS	50474-0000-U8-PH-03




voltage range: 220-240V

light source not included

Standard | E27 | 230V | max: 13W | Phase-Control

aqform.com/MG1025

colour	time	catalogue number
white	QS	50475-0000-U8-PH-03




voltage range: 220-240V

light source not included

T30 | E27 | 230V | max: 13W | Phase-Control

aqform.com/MG3025

colour	time	catalogue number
black	QS	50532-0000-U8-PH-02



voltage range: 220-240V

light source not included




MODERN GLASS Flared SP E27 fi50 suspended



MODERN GLASS Barrel SP E27 fi50 suspended




MAXI RING dot LED 230V suspended




colour	time	catalogue number
black	QS	50533-0000-U8-PH-02

voltage range: 220-240V
light source not included




colour	time	catalogue number
black	QS	50534-0000-U8-PH-02


voltage range: 220-240V
light source not included



colour	power	flux	time	catalogue number
black-gold	30.5W	3500lm	QS	50518-M830-D0-PH-42

voltage range: 220-240V





design: Studio Projekt

MYLINE

SMART PANEL

ORLED



private apartment
Warszawa, Poland
design: Justyna Przybylak Design
photo: Kamila Gołębiewska



private apartment
France
design: J. Lafuite
we do design
photo: H. Dlugosz



QRLED mini move lens 230V track



QRLED move spot



QRLED move 230V track



KARI 11 LED 230V spot




KARI 11 LED 230V track



CRI>90 | 3000K | 34° | Phase-Control

aqform.com/**QR9076**

colour	power	flux	time	catalogue number
black	8.0W	620lm	QS	10049-M930-F3-PH-02
white	8.0W	620lm	QS	10049-M930-F3-PH-03




voltage range: 220-240V

CRI>90 | 3000K | 38° | Phase-Control

aqform.com/**QR8061**

colour	power	flux	time	catalogue number
black	9.0W	1200lm	QS	12528-M930-F1-PH-02
white	9.0W	1200lm	QS	12528-M930-F1-PH-03




voltage range: 220-240V

CRI>90 | 3000K | 38° | Phase-Control

aqform.com/**QR8166**

colour	power	flux	time	catalogue number
black	8.0W	620lm	QS	12534-M930-F1-PH-02
white	8.0W	620lm	QS	12534-M930-F1-PH-03




voltage range: 220-240V

CRI>90 | 3000K | 36° | Phase-Control

aqform.com/**KA0071**

colour	power	flux	time	catalogue number
black	8.0W	620lm	QS	10042-M930-F1-PH-02
white	8.0W	620lm	QS	10042-M930-F1-PH-03




voltage range: 220-240V

CRI>90 | 3000K | 36° | Phase-Control

aqform.com/**KA0076**

colour	power	flux	time	catalogue number
black	8.0W	620lm	QS	10041-M930-F1-PH-02
white	8.0W	620lm	QS	10041-M930-F1-PH-03



voltage range: 220-240V

LED light source data is for 3000K



PET LED 230V track



PET 230V spot



PET 230V track




ROTTA LED 230V spot



ROTTA LED 230V track



colour	power	flux	time	catalogue number
black	8.0W	620lm	QS	12540-M930-F1-PH-02
white	8.0W	620lm	QS	12540-M930-F1-PH-03




voltage range: 220-240V



PAR16 | GU10 | 230V | max: 13W | Phase-Control

aqform.com/10045

colour	time	catalogue number
black	QS	10045-0000-U8-PH-02
white	QS	10045-0000-U8-PH-03



voltage range: 110-240V


light source not included



PAR16 | GU10 | 230V | max: 13W | Phase-Control

aqform.com/12548

colour	time	catalogue number
black	QS	12548-0000-U8-PH-02
white	QS	12548-0000-U8-PH-03



voltage range: 110-240V

light source not included



CRI>90 | 3000K | 36° | Phase-Control

aqform.com/RT0071

colour	power	flux	time	catalogue number
black	8.0W	620lm	QS	10043-M930-F1-PH-02
white	8.0W	620lm	QS	10043-M930-F1-PH-03




voltage range: 220-240V



CRI>90 | 3000K | 36° | Phase-Control

aqform.com/RT0076

colour	power	flux	time	catalogue number
black	8.0W	620lm	QS	10044-M930-F1-PH-02



voltage range: 220-240V





ROTO spot




ROTO track



ROLL simple LED track




colour	time	catalogue number
black	QS	12991-0000-U8-PH-02
white	QS	12991-0000-U8-PH-03



voltage range: 110-240V
light source not included




colour	time	catalogue number
black	QS	16219-0000-U8-PH-02
white	QS	16219-0000-U8-PH-03



voltage range: 110-240V
light source not included



colour	power	flux	time	catalogue number
black	23.5W	3090lm	QS	10055-M930-W1-00-02



voltage range: 220-240V







DOT



GRAPH



POCKET



GOLO LED hermetic wall



GRAPH LED 230V wall




LEDPOINT square 230V wall



LEDPOINT round 230V wall




colour	power	flux	time	catalogue number
black	3.0W	320lm	QS	26495-M930-W3-00-02
white	3.0W	320lm	QS	26495-M930-W3-00-03



voltage range: 220-240V




colour	power	flux	time	catalogue number
black	8.0W	630lm	QS	20080-M930-D9-PH-02
white	8.0W	630lm	QS	20080-M930-D9-PH-03



voltage range: 220-240V




colour	power	flux	time	catalogue number
black	4.0W	310lm	QS	36706-M930-D9-PH-02



voltage range: 220-240V




colour	power	flux	time	catalogue number
white	4.0W	310lm	QS	36710-M930-D9-PH-03




voltage range: 220-240V







MAXI CUBE LED 230V wall




MAXI CUBE wall



SET RAW mini 58 LED hermetic wall




colour	power	flux	time	catalogue number
black	4.0W	310lm	QS	26336-L930-Y6-PH-02
white	4.0W	310lm	QS	26336-L930-Y6-PH-03



voltage range: 220-240V




colour	time	catalogue number
black	QS	22411-0000-U8-PH-02
white	QS	22411-0000-U8-PH-03



voltage range: 220-240V



colour	power	flux	time	catalogue number
white	8.5W	1190lm	QS	26346-L930-D9-00-03



voltage range: 220-240V



All dimensions and technical data in catalogues are provided for guidance purposes only. Actual data may differ slightly due to the production process. Technical information contained within Aquaform's website, data sheets or mounting instructions shall prevail over the information contained in catalogues.

Aquaform Inc. reserves the right to change the presented materials and product specifications without prior notice.

Aquaform Inc. takes no responsibility for any possible misprints. All photos, icons and images are copyright protected. Images are illustrative presentations of products and colours.

The catalogue shows suggested retail prices in Euro. All shown prices are without taxes (VAT) or lamps. Aquaform Inc. reserves the right to change prices without prior notice.

Information contained in the catalogue shall not constitute an offer, also within the meaning of art. 66 § 1 of Polish Civil Code.

© 2019 AQUAFORM Inc. sp. z o.o.
All rights reserved.

For more
product
options
visit:

aqform.com

AQUAFORM Inc. sp. z o.o.

ul. Przemysłowa 12-14
32-070 Czernichów, Poland
+48 12 270-21-22

info@aqform.com
www.aqform.com